



Juli-10



Trailmowers

	Type	Beskrivelse	Pris excl. moms	Pris inkl. moms
	T11544*	44" TRAILMOWER® - 11.5 HP Briggs & Stratton I/C, recoil start, center hitch with offset capability, rear discharge, optional remote operator controls, 1/8" steel deck, single-point cutting height adjustment, red powder coat finish	kr. 14.556,00	kr. 18.195,00
	T12544*	44" TRAILMOWER® - 12.5 HP Briggs & Stratton I/C, 12 volt start, center hitch with offset capability, rear discharge, remote operator control console, 1/8" steel deck, single-point cutting height adjustment, red powder coat finish, battery included	kr. 17.756,00	kr. 22.195,00
	T14560*	60" TRAILMOWER® - 14.5 HP Briggs & Stratton I/C, 12 volt start, offset capability, side discharge, full floating 1/8" steel deck, guaranteed height select, red powder coat finish	kr. 19.436,00	kr. 24.295,00
	T18560	60" TRAILMOWER® - 17.5 HP Briggs & Stratton I/C, 12 volt start, offset capability, side discharge, full floating 1/8" steel deck, guaranteed height select, red powder coat finish, battery included	kr. 21.276,00	kr. 26.595,00
	T2066*	60" TRAILMOWER® - 18.5 HP Briggs & Stratton I/C 12 volt starter, side discharge, easy tool-less hitch adjustments floating deck, infinite height select, key presence lock-out system, battery included	kr. 24.236,00	kr. 30.295,00



Typhoon Aps. Nyborgvej 14, 9400 Nørresundby. Danmark

Tlf.; 99204004 Fax; 99204004

www.swisher.dk / www.swisherinc.com


CVR. 27975763 - *exclusive importer of swisher products to Denmark.*






Juli-10



Front mowers

	Type	Beskrivelse	Pris excl. moms	Pris inkl. moms
	FT1150*	FRONT-MOUNT/TRAILMOWER® - Comes standard as a front-mount mower to be used in conjunction with the 2646 or 9146 mounting kits or as a Trailmower® using the the optional wheel/tow-behind kit (5148).	kr. 21.596,00	kr. 26.995,00
	5148*	TOW-BEHIND WHEEL KIT - Turns your 50" mower into a Trailmower® by adding a wheel and a tow bar to it	kr. 3.196,00	kr. 3.995,00

Trailcutter

	Type	Beskrivelse	Pris excl. moms	Pris inkl. moms
	RTB12544*	44" TRAILCUTTER - 12.5 HP Briggs & Stratton I/C, twin heavy-duty breakaway swinging blades, cuts most stems up to 1-1/2" dia., recoil start, remote operator control console, 1/8" steel deck, single-point height adjustment, two 8" wheels, offset capability, red	kr. 20.396,00	kr. 25.495,00
	RTB14544*	44" TRAILCUTTER - 14.5 HP Briggs & Stratton I/C, 12-volt start, twin heavy-duty breakaway swinging blades, cuts most stems up to 1-1/2" dia., remote operator control console, 1/8" steel deck, single-point height adjustment, two 8" wheels, offset capability, red, battery included	kr. 22.876,00	kr. 28.595,00
	WB11524*	24" PREDATOR - 11.5 HP Briggs & Stratton I/C, self-propelled walk-behind heavy-duty cutter designed for rough cutting. Cuts most stems up to 1-1/2" in diameter, recoil start, 1/8" steel deck, single fixed rough-cut blade, 4-speed transmission with reverse, handlebar mounted controls, all-terrain tires	kr. 17.516,00	kr. 21.895,00



Typhoon Aps. Nyborgvej 14, 9400 Nørresundby. Danmark

Tlf.; 99204004 Fax; 99204004

www.swisher.dk / www.swisherinc.com






CVR. 27975763 - *exclusive importer of swisher products to Denmark.*



Juli-10



Trimmers

	Type	Beskrivelse	Pris excl. moms	Pris inkl. moms
	PST67522*	POSTMASTER - 6.75 HP Briggs and Stratton Intek, breakaway cutter head with adjustable tension, 22" cutting head, self-contained transport position, powder coat finish, 360° guarded cutting shield, five position offset hitch, trims on either side, adjustable trimming height with radial tapered wheels, full floating head	kr. 12.636,00	kr. 15.795,00
	ST60022Q	HIGH-WHEEL STRING TRIMMER - 6.0 HP Briggs Quantum, positive start/stop of cutter head, 22" cutting swath, 14" wheels, cutting line is 0.155" thick, steel frame	kr. 7.836,00	kr. 9.795,00
	ST65022DXQ*	COMBINATION HIGH-WHEEL STRING TRIMMER/EDGER/MOWER - 6.5 HP Briggs & Stratton Quantum engine, 22" cutting swath, 16" wheels, unique patent-pending head adjustment allows side-to-side head adjustment for easy trimming along fences and obstacles, also features 0°-90° head adjustment to convert trimmer/mower into edger, line is 0.155" thick, steel frame	kr. 8.316,00	kr. 10.395,00
	ST6002212V*	COMBINATION HIGH-WHEEL STRING TRIMMER/EDGER/MOWER - 6.0 HP Briggs Quantum, 22" cutting swath, 12 volt start, 16" wheels, unique patent-pending head adjustment allows user side-to-side head adjustment for easy trimming along fences and obstacles, 0°-90° head adjustment to convert trimmer/mower into edger, line is .155" thick, steel frame	kr. 9.276,00	kr. 11.595,00
	P3618*	TRIMMER REPLACEMENT STRING - 36 pieces in tube with sponge to retain moisture, 0.155" diameter, fits 22" string trimmers	kr. 796,00	kr. 995,00



Typhoon Aps. Nyborgvej 14, 9400 Nørresundby. Danmark

Tlf.; 99204004 Fax; 99204004

www.swisher.dk / www.swisherinc.com



CVR. 27975763 - *exclusive importer of swisher products to Denmark.*



Juli-10



**ATV/UTV
Mounting Kit**

	Type	Beskrivelse	Pris excl. moms	Pris inkl. moms
	PN2646*	REQUIRED UNIVERSAL MOUNTING KIT - Mounting Kit lets you easily mount plow, Dump Bucket and Pallet Lift attachments. Complete universal mounting system includes undercarriage mount with front suspension leaf springs. System helps alleviate, load on front suspension of bike allowing for more versatility, better manoeuvrability and sturdier use. Designed to use with ATVwinch or manual lift. Installs in minutes and provides easy, user-friendly re-installation. Single-pin release for quick change of accessories. Fits most ATV's.	kr. 3.596,00	kr. 4.495,00
-	PN6461	UNIVERSAL MOUNTING KIT – can be used as an additional kit on PN2646 which makes it possible to mount machines to the backside of the ATV, fits most ATV's.	kr. 3.596,00	kr. 4.495,00
-	PN6462	UNIVERSAL MOUNTING KIT – makes it possible to mount machines to the front- and backside of the ATV, fits most ATV's.	kr. 5.996,00	kr. 7.495,00
	PN9146 (10260)	REQUIRED UNIVERSAL MOUNTING KIT - Mounting Kit lets you easily mount plow, Dump Bucket and Pallet Lift attachments. Designed to use with UTVwinch or manual lift. Installs in minutes and provides easy, user-friendly re-installation. Single-pin release for quick change of accessories. Fits most UTV's.	kr. 2.796,00	kr. 3.495,00



Typhoon Aps. Nyborgvej 14, 9400 Nørresundby. Danmark

Tlf.; 99204004 Fax; 99204004

www.swisher.dk / www.swisherinc.com




CVR. 27975763 - *exclusive importer of swisher products to Denmark.*



Juli-10



ATV/UTV front

	Type	Beskrivelse	Pris excl. moms	Pris inkl. moms
	15714*	UNIVERSAL DUMP BUCKET - Heavy-duty 44" Dump Bucket designed for lifting and moving modest weights of material up to 250 lbs. Bucket is constructed of reinforced 1/8" steel. Unit includes rugged scoring teeth for providing better penetration of compacted soil or material. Easy user-friendly attaching. (Item 2646 required for mounting)	kr. 4.556,00	kr. 5.695,00
-	5505TK	Tooth set for dump bucket 15714	kr. 1.276,00	kr. 1.595,00
	2645R*	UNIVERSAL SUPER DUTY ATV PLOW BLADE - Universal 50" Blade made from 1/8" steel with corrugated breaks. Breaks are designed to cause snow to naturally break away from the blade rather than build up on it. Heavy duty construction with extra supports for tough jobs like moving gravel and sand. Unique "dual-engage" angle selection system provides double lock for plow angle. Designed for maximum strength and peak performance. (Item 2646 required for mounting)	kr. 4.876,00	kr. 6.095,00
-	2828	UNIVERSAL MANUAL LIFT KIT - Universal lift mechanism designed for use in place of winch for 2645R	kr. 1.836,00	kr. 2.295,00
	2140*	UTV UNIVERSAL SUPER DUTY PLOW BLADE - Blade attachment for Swisher Mounting System. 62" Blade made from 1/8" steel with corrugated breaks. Breaks are designed to cause snow to naturally break away from the blade rather than build up on it. Heavy-duty construction with extra supports for tough jobs like moving gravel and sand. Unique "dual engage" angle selection system provides double lock for plow angle. Designed for maximum strength and peak performance. (Item 10260 required for mounting)	kr. 5.596,00	kr. 6.995,00
-	8003	ROLLER FAIRLEAD - Reduces wear on winch cable by using a long roller where cable exits winch spindle.	kr. 956,00	kr. 1.195,00



Typhoon Aps. Nyborgvej 14, 9400 Nørresundby. Danmark

Tlf.; 99204004 Fax; 99204004

www.swisher.dk / www.swisherinc.com





CVR. 27975763 - *exclusive importer of swisher products to Denmark.*



Juli-10



ATV/UTV Towed

	Type	Beskrivelse	Pris excl. moms	Pris inkl. moms
 As long as available	WT7002A-A*	ATV DUMP CART - rugged 14 gauge steel construction, lift-out gate, over 13 cubic feet actual bed capacity, ball hitch receiver, powder coat finish, 230kg load capacity, pull pin and tilt the bed to quickly dump contents, 22 x 1100-8 ATV tires with high-speed tapered bearings (ASSEMBLED)	kr. 4.878,40	kr. 6.098,00
	WT7002A-B*	ATV DUMP CART - rugged 14 gauge steel construction, lift-out gate, over 13 cubic feet actual bed capacity, ball hitch receiver, powder coat finish, 317kg load capacity, pull pin and tilt the bed to quickly dump contents, 22 x 1100-8 ATV tires with high-speed tapered bearings (NOT ASSEMBLED). Replacement of the WT7002A-B	kr. 5.756,00	kr. 7.195,00
	LV87537	LAWN VAC/TRAILER - 5.5 HP Briggs & Stratton Intek, 37 cubic foot bag/trailer capacity, easy on and off collector bag folds for easy storage, 11.7 cubic foot trailer, 500 lb capacity, impeller generates 180 MPH force, removable engine for easy handling, remove bag and frame for your heavy-duty dump cart.	kr. 15.996,00	kr. 19.995,00
	LV87551	Poly Lawn Vac - 8.75 HP Briggs & Stratton Intek, 51 cubic foot bag/trailer capacity, easy on and off collector bag folds for easy storage, 10 cubic foot trailer, 750 lb capacity, impeller generates 180 MPH force, removable engine for easy handling, remove bag and frame for your heavy-duty dump cart.	kr. 16.716,00	kr. 20.895,00



Typhoon Aps. Nyborgvej 14, 9400 Nørresundby. Danmark

Tlf.; 99204004 Fax; 99204004

www.swisher.dk / www.swisherinc.com







CVR. 27975763 - *exclusive importer of swisher products to Denmark.*



Juli-10



ATV/UTV Towed

	Type	Beskrivelse	Pris excl. moms	Pris inkl. moms
	10272*	ATV Spreader - Easily and consistently spread dry goods from the back of your ATV. Adjustable volume and patterns between 4 and 16 feet in diameter, 150 lb capacity, heavy-duty ball bearing electric motor easily wired to ATV electrical system, 15-gallon translucent hopper to conveniently view fill level of materials.	kr. 3.036,00	kr. 3.795,00
	11730*	TRUCK SPREADER - Fits into a 2" x 2" receiver hitch. Electric motor installs directly to vehicle. Adjustable volume and spread widths from 4' to 16' in diameter. 300 lb capacity. Heavy duty bearing motor. Clear 25 gallon poly tank hopper allows easy viewing of contents. Universal fit mounts easily; gives a consistent spread of salt, sand, seed, and fertilizer.	kr. 3.756,00	kr. 4.695,00
	ACR500S*	ACREAGE RAKE - 6 Steel tine wheels, reversible for wind-rowing or de-thatching <i>Not available for the moment</i>	kr. 3.276,00	kr. 4.095,00
	ACR-600*	ACREAGE IN-LINE RAKE - 6 Steel tine wheels, reversible for wind-rowing or de-thatching <i>Not available for the moment</i>	kr. 3.436,00	kr. 4.295,00
	12593*	LANDSCAPE DRAG HARROW - Great for smoothing and finishing large dirt surfaces and gravel drives, large 4 foot by 5 foot area makes quick work of big areas. Add blocks for more weight.	kr. 1.916,00	kr. 2.395,00
	HDHA-59*	LANDSCAPE DRAG HARROW - Great for smoothing and finishing large dirt surfaces and gravel drives, large 4 foot by 4 foot area makes quick work of big areas. Add blocks for more weight. Heavy duty	kr. 2.556,00	kr. 3.195,00



Typhoon Aps. Nyborgvej 14, 9400 Nørresundby. Danmark

Tlf.; 99204004 Fax; 99204004

www.swisher.dk / www.swisherinc.com

CVR. 27975763 - *exclusive importer of swisher products to Denmark.*